

Configuring Lenny chatbox

This example is written for the **Canistracci OIL** tenant. Create the objects with a **Docs Demo** prefix, test them on non-production numbers, and then adapt the same structure for the production tenant.

If you want to annoy the telemarketers with a Lenny chatbox, you can download the Lenny pack files from

the PBX web address

and decompress in your en language file:

```
cd /var/lib/asterisk/sounds/en
wget the PBX web address
unzip Lenny.zip
\rm Lenny.zip
```

Then create the custom destination "Run a Lenny style chatbox to annoy telemarketers" and leave the defaults file names

Information

Name:

Type: **Weektime**

Timezone: **Use tenant default**

Select timeslots:

	Sun	Mon	Tue	Wed	Thu	Fri	Sat
5am							
6am							
7am							
8am							
9am							
10am							
11am							
12pm							
1pm							
2pm							
3pm							
4pm							
5pm							
6pm							

Canistracci OIL example screen for Configuring Lenny chatbox.

Validation

- Confirm the tenant selected in the top bar is Canistracci OIL before creating the example.
- Verify the created objects appear in the expected Configuration menu page.
- Place a controlled test call or run the related status check.
- Remove or disable temporary test numbers when the example is no longer needed.

Revision #5

Created 2026-06-02 22:01:20 UTC by Admin

Updated 2026-06-02 22:14:05 UTC by Admin