

Fanvil X4U - Reference XML

[Back to Phone Model Examples](#)

```
<?xml version="1.0" encoding="UTF-8"?>
<sysConf>
  <Version>2.0000000000</Version>
  <net>
    <WANTYPE>0</WANTYPE>
    <WANIP>192.168.1.179</WANIP>
    <WANSubnetMask>255.255.255.0</WANSubnetMask>
    <WANGateway>192.168.1.1</WANGateway>
    <DomainName></DomainName>
    <PrimaryDNS>8.8.8.8</PrimaryDNS>
    <SecondaryDNS>202.96.134.133</SecondaryDNS>
    <EnableDHCP>1</EnableDHCP>
    <DHCPAutoDNS>1</DHCPAutoDNS>
    <DHCPAutoTime>0</DHCPAutoTime>
    <DHCPOption100-101>1</DHCPOption100-101>
    <UseVendorClassID>0</UseVendorClassID>
    <VendorClassID>Fanvil X4U</VendorClassID>
    <EnablePPPoE>0</EnablePPPoE>
    <PPPoEUser>user123</PPPoEUser>
    <PPPoEPassword>password</PPPoEPassword>
    <ARPCacheLife>2</ARPCacheLife>
    <MTU>1500</MTU>
    <WAN6IP></WAN6IP>
    <WAN6IPPREFIX></WAN6IPPREFIX>
    <WAN6Gateway></WAN6Gateway>
    <Domain6Name></Domain6Name>
    <PrimaryDNS6></PrimaryDNS6>
    <SecondaryDNS6></SecondaryDNS6>
    <EnableDHCP6>1</EnableDHCP6>
    <DHCP6AutoDNS>1</DHCP6AutoDNS>
    <DHCP6AutoTime>0</DHCP6AutoTime>
    <UseVendor6ClassID>0</UseVendor6ClassID>
    <Vendor6ClassID></Vendor6ClassID>
```

```
<wifi>
  <WIFIEnable>0</WIFIEnable>
  <WIFILogEnable>0</WIFILogEnable>
  <WANTYPE>0</WANTYPE>
  <WANIP>192.168.1.179</WANIP>
  <WANSubnetMask>255.255.255.0</WANSubnetMask>
  <WANGateway>192.168.1.1</WANGateway>
  <DomainName></DomainName>
  <PrimaryDNS>8.8.8.8</PrimaryDNS>
  <SecondaryDNS>202.96.134.133</SecondaryDNS>
  <EnableDHCP>1</EnableDHCP>
  <DHCPAutoDNS>1</DHCPAutoDNS>
  <DHCPOption100-101>1</DHCPOption100-101>
  <UseVendorClassID>0</UseVendorClassID>
  <VendorClassID>Fanvil X4U</VendorClassID>
  <EnablePPPoE>0</EnablePPPoE>
  <PPPoEUser>user123</PPPoEUser>
  <PPPoEPassword>password</PPPoEPassword>
  <WAN6IP></WAN6IP>
  <WAN6IPPREFIX></WAN6IPPREFIX>
  <WAN6Gateway></WAN6Gateway>
  <Domain6Name></Domain6Name>
  <PrimaryDNS6></PrimaryDNS6>
  <SecondaryDNS6></SecondaryDNS6>
  <EnableDHCP6>1</EnableDHCP6>
  <DHCP6AutoDNS>1</DHCP6AutoDNS>
  <UseVendor6ClassID>0</UseVendor6ClassID>
  <Vendor6ClassID></Vendor6ClassID>
</wifi>
<NetGlobal>
  <NetPriority>10</NetPriority>
</NetGlobal>
</net>
<mm>
  <G723BitRate>1</G723BitRate>
  <ILBCPayloadType>97</ILBCPayloadType>
  <ILBCPayloadLen>20</ILBCPayloadLen>
  <AMRPayloadType>108</AMRPayloadType>
  <AMRWBPayloadType>109</AMRWBPayloadType>
  <G726-16PayloadType>103</G726-16PayloadType>
  <G726-24PayloadType>104</G726-24PayloadType>
```

<G726-32PayloadType>102</G726-32PayloadType>
<G726-40PayloadType>105</G726-40PayloadType>
<DtmfPayloadType>101</DtmfPayloadType>
<OpusPayloadType>107</OpusPayloadType>
<OpusSampleRate>0</OpusSampleRate>
<VAD>0</VAD>
<H264PayloadType>117</H264PayloadType>
<ResvAudioBand>0</ResvAudioBand>
<H265PayloadType>98</H265PayloadType>
<RTPInitialPort>10000</RTPInitialPort>
<RTPPortQuantity>1000</RTPPortQuantity>
<RTPKeepAlive>1</RTPKeepAlive>
<RTPRelay>0</RTPRelay>
<RTCPCNAMEUser></RTCPCNAMEUser>
<RTCPCNAMEHost></RTCPCNAMEHost>
<SelectYourTone>11</SelectYourTone>
<SidetoneGAIN>1</SidetoneGAIN>
<PlayEgressDTMF>0</PlayEgressDTMF>
<DialTone>350+440/0</DialTone>
<RingbackTone>440+480/2000,0/4000</RingbackTone>
<BusyTone>480+620/500,0/500</BusyTone>
<CongestionTone></CongestionTone>
<CallwaitingTone>440/300,0/10000,440/300,0/10000,0/0</CallwaitingTone>
<HoldingTone></HoldingTone>
<ErrorTone></ErrorTone>
<StutterTone></StutterTone>
<InformationTone></InformationTone>

<DialRecallTone>350+440/100,0/100,350+440/100,0/100,350+440/100,0/100,350+440/0</DialRecallTone>

<MessageTone></MessageTone>
<HowlerTone></HowlerTone>
<NumberUnobtainable>400/500,0/6000</NumberUnobtainable>
<WarningTone>1400/500,0/0</WarningTone>
<RecordTone>440/500,0/5000</RecordTone>
<AutoAnswerTone></AutoAnswerTone>

<capability>

<AudioCodecSets>PCMU,PCMA,G726-16,G726-24,G726-32,G726-40,G729,G723,iLBC</AudioCodecSets>

</capability>

</mm>

```

<sip>
  <SIPPort>5060</SIPPort>
  <STUNServer></STUNServer>
  <STUNPort>3478</STUNPort>
  <STUNRefreshTime>50</STUNRefreshTime>
  <SIPWaitStunTime>800</SIPWaitStunTime>
  <ExternNATAddrs></ExternNATAddrs>
  <RegFailInterval>32</RegFailInterval>
  <SIPPswdEncryption>0</SIPPswdEncryption>
  <StrictBranchPrefix>0</StrictBranchPrefix>
  <VideoMuteAttr>0</VideoMuteAttr>
  <EnableGroupBackup>0</EnableGroupBackup>
  <EnableRFC4475>1</EnableRFC4475>
  <StrictUAMatch>1</StrictUAMatch>
  <CSTAEnable>0</CSTAEnable>
  <NotifyReboot>1</NotifyReboot>
{line_loop}
  <line index="{ $line_m1 }">
    <PhoneNumber>{$username}</PhoneNumber>
    <DisplayName>{$number}</DisplayName>
    <SipName>{$displayname}</SipName>
    <RegisterAddr>{$server_host}</RegisterAddr>
    <RegisterPort>{$server_port}</RegisterPort>
    <RegisterUser>{$username}</RegisterUser>
    <RegisterPswd>{$secret}</RegisterPswd>
    <RegisterTTL>360</RegisterTTL>
    <EnableReg>1</EnableReg>
  </line>
{/line_loop}
  <p2p>
    <SIPP2PEnableAutoAnswer>0</SIPP2PEnableAutoAnswer>
    <SIPP2PAutoAnswerDelay>30</SIPP2PAutoAnswerDelay>
    <SIPP2PDtmfMode>1</SIPP2PDtmfMode>
    <SIPP2PSipInfoDtmfMode>0</SIPP2PSipInfoDtmfMode>
    <SIPP2PEnablePreview>0</SIPP2PEnablePreview>
    <SIPP2PPreviewMode>0</SIPP2PPreviewMode>
    <SIPP2PUseVPN>1</SIPP2PUseVPN>
  </p2p>
</sip>
<call>
  <port index="1">

```

<EnableXferDPlan>1</EnableXferDPlan>
<EnableFwdDPlan>1</EnableFwdDPlan>
<EnablePredPlan>0</EnablePredPlan>
<IPDialPrefix>.</IPDialPrefix>
<EnabledDND>1</EnabledDND>
<DNDMode>0</DNDMode>
<EnableSpaceDND>0</EnableSpaceDND>
<DNDStartTime>1500</DNDStartTime>
<DNDEndTime>1730</DNDEndTime>
<EnableWhitelist>1</EnableWhitelist>
<EnableBlackList>1</EnableBlackList>
<EnableCallBar>1</EnableCallBar>
<MuteRinging>0</MuteRinging>
<BanDialOut>0</BanDialOut>
<BanEmptyCID>0</BanEmptyCID>
<EnableCLIP>1</EnableCLIP>
<CallWaiting>1</CallWaiting>
<CallTransfer>1</CallTransfer>
<CallSemiXfer>1</CallSemiXfer>
<CallConference>1</CallConference>
<AutoPickupNext>0</AutoPickupNext>
<BusyNoLine>1</BusyNoLine>
<AutoOnhook>1</AutoOnhook>
<AutoOnhookTime>3</AutoOnhookTime>
<EnableIntercom>1</EnableIntercom>
<IntercomMute>0</IntercomMute>
<IntercomTone>1</IntercomTone>
<IntercomBarge>0</IntercomBarge>
<UseAutoRedial>0</UseAutoRedial>
<RedialEnterCallLog>0</RedialEnterCallLog>
<AutoRedialDelay>30</AutoRedialDelay>
<AutoRedialTimes>5</AutoRedialTimes>
<CallComplete>0</CallComplete>
<CHoldingTone>1</CHoldingTone>
<CWaitingTone>1</CWaitingTone>
<HideDTMFTone>0</HideDTMFTone>
<TalkDTMFTone>1</TalkDTMFTone>
<DialDTMFTone>1</DialDTMFTone>
<PswDialMode>0</PswDialMode>
<PswDialLength>0</PswDialLength>
<PswDialPrefix></PswDialPrefix>

```
<EnableMultiLine>1</EnableMultiLine>
<AllowIPCall>1</AllowIPCall>
<CallerNameType>0</CallerNameType>
<MuteForRing>0</MuteForRing>
<AutoHandleVideo>0</AutoHandleVideo>
<DefaultAnsMode>1</DefaultAnsMode>
<DefaultDialMode>1</DefaultDialMode>
<HoldToTransfer>0</HoldToTransfer>
<EnablePreDial>1</EnablePreDial>
<DefaultExtLine>1</DefaultExtLine>
<EnableDefLine>1</EnableDefLine>
<EnableSelLine>1</EnableSelLine>
<RinginHeadset>0</RinginHeadset>
<AutoHeadset>0</AutoHeadset>
<DNDReturnCode>480</DNDReturnCode>
<BusyReturnCode>486</BusyReturnCode>
<RejectReturnCode>603</RejectReturnCode>
<ContactType>0</ContactType>
<EnableCountryCode>0</EnableCountryCode>
<CountryCode></CountryCode>
<CallAreaCode></CallAreaCode>
<NumberPrivacy>0</NumberPrivacy>
<PrivacyRule></PrivacyRule>
<TransfDTMFCode></TransfDTMFCode>
<HoldDTMFCode></HoldDTMFCode>
<ConfDTMFCode></ConfDTMFCode>
<DisableDialSearch>0</DisableDialSearch>
<CallNumberFilter></CallNumberFilter>
<AutoResumeCurrent>0</AutoResumeCurrent>
<AlertTimeout>120</AlertTimeout>
<RingTimeout>120</RingTimeout>
<RingPriority>0</RingPriority>
</port>
<basic>
  <DialbyPound>1</DialbyPound>
  <BTransferbyPound>0</BTransferbyPound>
  <OnhooktoBXfer>0</OnhooktoBXfer>
  <OnhooktoAXfer>0</OnhooktoAXfer>
  <ConfOnhooktoXfer>0</ConfOnhooktoXfer>
  <DialFixedLength>0</DialFixedLength>
  <FixedLengthNums>11</FixedLengthNums>
```

```
<DialbyTimeout>1</DialbyTimeout>
<DialTimeoutvalue>10</DialTimeoutvalue>
<EnableE0neSixFour>0</EnableE0neSixFour>
</basic>
<alertInfo index="1">
  <Text></Text>
  <Line>-1</Line>
  <RingType>Type 1</RingType>
</alertInfo>
<alertInfo index="2">
  <Text></Text>
  <Line>-1</Line>
  <RingType>Type 1</RingType>
</alertInfo>
<alertInfo index="3">
  <Text></Text>
  <Line>-1</Line>
  <RingType>Type 1</RingType>
</alertInfo>
<alertInfo index="4">
  <Text></Text>
  <Line>-1</Line>
  <RingType>Type 1</RingType>
</alertInfo>
<alertInfo index="5">
  <Text></Text>
  <Line>-1</Line>
  <RingType>Type 1</RingType>
</alertInfo>
<alertInfo index="6">
  <Text></Text>
  <Line>-1</Line>
  <RingType>Type 1</RingType>
</alertInfo>
<alertInfo index="7">
  <Text></Text>
  <Line>-1</Line>
  <RingType>Type 1</RingType>
</alertInfo>
<alertInfo index="8">
  <Text></Text>
```

```
<Line>-1</Line>
<RingType>Type 1</RingType>
</alertInfo>
<alertInfo index="9">
  <Text></Text>
  <Line>-1</Line>
  <RingType>Type 1</RingType>
</alertInfo>
<alertInfo index="10">
  <Text></Text>
  <Line>-1</Line>
  <RingType>Type 1</RingType>
</alertInfo>
</call>
<phone>
  <MenuPassword>123</MenuPassword>
  <KeyLockPassword>123</KeyLockPassword>
  <FastKeylockCode></FastKeylockCode>
  <EnableKeyLock>0</EnableKeyLock>
  <KeyLockTimeout>0</KeyLockTimeout>
  <KeyLockStatus>0</KeyLockStatus>
  <EmergencyCall>110</EmergencyCall>
  <PushXMLIP></PushXMLIP>
  <SIPNumberPlan>0</SIPNumberPlan>
  <LDAPSearch>0</LDAPSearch>
  <SearchPath>0</SearchPath>
  <CallerDisplayT>5</CallerDisplayT>
  <CallLogDisplayType>0</CallLogDisplayType>
  <EnableRecvSMS>1</EnableRecvSMS>
  <EnableCallHistory>1</EnableCallHistory>
  <LineDisplayFormat>$name@$protocol$instance</LineDisplayFormat>
  <EnableMWITone>0</EnableMWITone>
  <AllPswdEncryption>0</AllPswdEncryption>
  <SIPNotifyXML>1</SIPNotifyXML>
  <BlockXMLWhenCall>1</BlockXMLWhenCall>
  <XMLUpdateInterval>30</XMLUpdateInterval>
  <VqmDisplayOrder></VqmDisplayOrder>
  <EnablePushXMLAuth>0</EnablePushXMLAuth>
  <PickupVisualAlert>0</PickupVisualAlert>
  <PickupAudioAlert>0</PickupAudioAlert>
  <PickupRingType></PickupRingType>
```

```
<display>
  <LCDTitle>VOIP PHONE</LCDTitle>
  <LCDConstrast>5</LCDConstrast>
  <EnableEnergysaving>4</EnableEnergysaving>
  <LCDLuminanceLevel>15</LCDLuminanceLevel>
  <BacklightOffTime>60</BacklightOffTime>
  <DisableCHNIME>0</DisableCHNIME>
  <PhoneModel></PhoneModel>
  <HostName>bcm911188sv</HostName>
  <DefaultLanguage>en</DefaultLanguage>
  <EnableGreetings>0</EnableGreetings>
</display>
<powerLed>
  <Power>0</Power>
  <MWIOrSMS>3</MWIOrSMS>
  <InUsing>0</InUsing>
  <Ring>2</Ring>
  <Hold>0</Hold>
  <Mute>0</Mute>
  <MissedCall>3</MissedCall>
  <PowserSaving>1</PowserSaving>
</powerLed>
<lineLed>
  <LineIdleColor>0</LineIdleColor>
  <LineIdleCtl>1</LineIdleCtl>
</lineLed>
<blfLed>
  <BLFIdleColor>0</BLFIdleColor>
  <BLFIdleCtl>1</BLFIdleCtl>
  <BLFIdleText>terminated</BLFIdleText>
  <BLFRingColor>1</BLFRingColor>
  <BLFRingCtl>2</BLFRingCtl>
  <BLFRingText>early</BLFRingText>
  <BLFDialingColor>1</BLFDialingColor>
  <BLFDialingCtl>0</BLFDialingCtl>
  <BLFDialingText></BLFDialingText>
  <BLFTalkingColor>1</BLFTalkingColor>
  <BLFTalkingCtl>1</BLFTalkingCtl>
  <BLFTalkingText>confirmed</BLFTalkingText>
  <BLFHoldColor>1</BLFHoldColor>
  <BLFHoldCtl>0</BLFHoldCtl>
```

```
<BLFHoldText></BLFHoldText>
<BLFFailedColor>2</BLFFailedColor>
<BLFFailedCtl>0</BLFFailedCtl>
<BLFFailedText>failed</BLFFailedText>
<BLFParkedColor>0</BLFParkedColor>
<BLFParkedCtl>3</BLFParkedCtl>
<BLFParkedText>parked</BLFParkedText>
</blfLed>
<volume>
  <HandsetVol></HandsetVol>
  <HandsetMicVol></HandsetMicVol>
  <HeadsetVol></HeadsetVol>
  <HeadsetMicVol></HeadsetMicVol>
  <HeadsetRingVol></HeadsetRingVol>
  <HandFreeVol></HandFreeVol>
  <HandFreeMicVol></HandFreeMicVol>
  <HandFreeRingVol></HandFreeRingVol>
  <RingType></RingType>
</volume>
<date>
  <EnableSNTP>1</EnableSNTP>
  <SNTPServer>0.pool.ntp.org</SNTPServer>
  <SecondSNTPServer>time.nist.gov</SecondSNTPServer>
  <TimeZone>32</TimeZone>
  <TimeZoneName>UTC+8</TimeZoneName>
  <SNTPTimeout>60</SNTPTimeout>
  <DSTType>0</DSTType>
  <DSTLocation>0</DSTLocation>
  <DSTRuleMode>0</DSTRuleMode>
  <DSTMinOffset>60</DSTMinOffset>
  <DSTStartMon>3</DSTStartMon>
  <DSTStartWeek>5</DSTStartWeek>
  <DSTStartWday>0</DSTStartWday>
  <DSTStartHour>2</DSTStartHour>
  <DSTEndMon>10</DSTEndMon>
  <DSTEndWeek>5</DSTEndWeek>
  <DSTEndWday>0</DSTEndWday>
  <DSTEndHour>2</DSTEndHour>
</date>
<timeDisplay>
  <EnableTimeDisplay>0</EnableTimeDisplay>
```

```
<TimeDisplayStyle>0</TimeDisplayStyle>
<DateDisplayStyle>0</DateDisplayStyle>
<DateSeparator>0</DateSeparator>
</timeDisplay>
<softkey>
  <SoftkeyMode>0</SoftkeyMode>
  <SoftKeyExitStyle>2</SoftKeyExitStyle>
  <DesktopSoftkey>history;contact;dnd;menu;</DesktopSoftkey>
  <TalkingSoftkey>hold;xfer;conf;end;</TalkingSoftkey>
  <RingingSoftkey>accept;none;forward;reject;</RingingSoftkey>
  <AlertingSoftkey>end;none;none;none;</AlertingSoftkey>
  <XAlertingSoftkey>end;none;none;xfer;</XAlertingSoftkey>
  <ConferenceSoftkey>hold;none;split;end;</ConferenceSoftkey>
  <WaitingSoftkey>xfer;accept;reject;end;</WaitingSoftkey>
  <EndingSoftkey>redial;none;none;end;</EndingSoftkey>
  <DialerPreSoftkey>send;2aB;delete;exit;</DialerPreSoftkey>
  <DialerCallSoftkey>send;2aB;delete;exit;</DialerCallSoftkey>
  <DialerXferSoftkey>delete;xfer;send;exit;</DialerXferSoftkey>
  <DialerCfwdSoftkey>send;2aB;delete;exit;</DialerCfwdSoftkey>
  <DesktopClick>history;status;none;none;none;</DesktopClick>
  <DailerClick>pline;nline;none;none;none;</DailerClick>
  <RingingClick>none;none;none;none;none;</RingingClick>
  <CallClick>none;none;voldown;volup;none;</CallClick>
  <DesktopLongPress>status;none;none;none;reset;</DesktopLongPress>
  <DialerConfSoftkey>contact;clogs;redial;video;cancel;</DialerConfSoftkey>
</softkey>
<agent>
  <AgentUsername></AgentUsername>
  <AgentPassword></AgentPassword>
  <AgentNumber></AgentNumber>
  <AgentSipline>0</AgentSipline>
  <AgentStatus>0</AgentStatus>
  <AgentStatusReason></AgentStatusReason>
  <AgentClearCallLog>0</AgentClearCallLog>
</agent>

<bwDir index="1">
  <Title></Title>
  <URL></URL>
  <Username></Username>
  <Password></Password>
```

```
<SipLine>0</SipLine>
</bwDir>
<bwDir index="2">
  <Title></Title>
  <URL></URL>
  <Username></Username>
  <Password></Password>
  <SipLine>0</SipLine>
</bwDir>
<bwDir index="3">
  <Title></Title>
  <URL></URL>
  <Username></Username>
  <Password></Password>
  <SipLine>0</SipLine>
</bwDir>
<bwDir index="4">
  <Title></Title>
  <URL></URL>
  <Username></Username>
  <Password></Password>
  <SipLine>0</SipLine>
</bwDir>
<bwDir index="5">
  <Title></Title>
  <URL></URL>
  <Username></Username>
  <Password></Password>
  <SipLine>0</SipLine>
</bwDir>
<bwDir index="6">
  <Title></Title>
  <URL></URL>
  <Username></Username>
  <Password></Password>
  <SipLine>0</SipLine>
</bwDir>
<bwCallLog index="1">
  <Title></Title>
  <URL></URL>
  <Username></Username>
```

```
<Password></Password>
<SipLine>0</SipLine>
</bwCallLog>
<bwCallLog index="2">
  <Title></Title>
  <URL></URL>
  <Username></Username>
  <Password></Password>
  <SipLine>0</SipLine>
</bwCallLog>
<bwCallLog index="3">
  <Title></Title>
  <URL></URL>
  <Username></Username>
  <Password></Password>
  <SipLine>0</SipLine>
</bwCallLog>
<ldap index="1">
  <Title></Title>
  <Server></Server>
  <port>389</port>
  <Base></Base>
  <UseSSL>0</UseSSL>
  <Version>3</Version>
  <CallingLine>-1</CallingLine>
  <BindLine>-1</BindLine>
  <InCallSearch>0</InCallSearch>
  <OutCallSearch>0</OutCallSearch>
  <Authenticate>3</Authenticate>
  <Username></Username>
  <Password></Password>
  <TelAttr>telephoneNumber</TelAttr>
  <MobileAttr>mobile</MobileAttr>
  <OtherAttr>other</OtherAttr>
  <NameAttr>cn sn ou</NameAttr>
  <SortAttr>cn</SortAttr>
  <Displayname>cn</Displayname>
  <NumberFilter>(|(telephoneNumber=*)(mobile=*)(other=*))</NumberFilter>
  <NameFilter>(|(cn=*)(sn=*))</NameFilter>
  <MaxHits>50</MaxHits>
</ldap>
```

```
<ldap index="2">
  <Title></Title>
  <Server></Server>
  <port>389</port>
  <Base></Base>
  <UseSSL>0</UseSSL>
  <Version>3</Version>
  <CallingLine>-1</CallingLine>
  <BindLine>-1</BindLine>
  <InCallSearch>0</InCallSearch>
  <OutCallSearch>0</OutCallSearch>
  <Authenticate>3</Authenticate>
  <Username></Username>
  <Password></Password>
  <TelAttr>telephoneNumber</TelAttr>
  <MobileAttr>mobile</MobileAttr>
  <OtherAttr>other</OtherAttr>
  <NameAttr>cn sn ou</NameAttr>
  <SortAttr>cn</SortAttr>
  <Displayname>cn</Displayname>
  <NumberFilter>(|(telephoneNumber=*)(mobile=*)(other=*))</NumberFilter>
  <NameFilter>(|(cn=*)(sn=*))</NameFilter>
  <MaxHits>50</MaxHits>
</ldap>

<ldap index="3">
  <Title></Title>
  <Server></Server>
  <port>389</port>
  <Base></Base>
  <UseSSL>0</UseSSL>
  <Version>3</Version>
  <CallingLine>-1</CallingLine>
  <BindLine>-1</BindLine>
  <InCallSearch>0</InCallSearch>
  <OutCallSearch>0</OutCallSearch>
  <Authenticate>3</Authenticate>
  <Username></Username>
  <Password></Password>
  <TelAttr>telephoneNumber</TelAttr>
  <MobileAttr>mobile</MobileAttr>
  <OtherAttr>other</OtherAttr>
```

```
<NameAttr>cn sn ou</NameAttr>
<SortAttr>cn</SortAttr>
<Displayname>cn</Displayname>
<NumberFilter>(|(telephoneNumber=*)(mobile=*)(other=*))</NumberFilter>
<NameFilter>(|(cn=*)(sn=*))</NameFilter>
<MaxHits>50</MaxHits>
</ldap>
<ldap index="4">
  <Title></Title>
  <Server></Server>
  <port>389</port>
  <Base></Base>
  <UseSSL>0</UseSSL>
  <Version>3</Version>
  <CallingLine>-1</CallingLine>
  <BindLine>-1</BindLine>
  <InCallSearch>0</InCallSearch>
  <OutCallSearch>0</OutCallSearch>
  <Authenticate>3</Authenticate>
  <Username></Username>
  <Password></Password>
  <TelAttr>telephoneNumber</TelAttr>
  <MobileAttr>mobile</MobileAttr>
  <OtherAttr>other</OtherAttr>
  <NameAttr>cn sn ou</NameAttr>
  <SortAttr>cn</SortAttr>
  <Displayname>cn</Displayname>
  <NumberFilter>(|(telephoneNumber=*)(mobile=*)(other=*))</NumberFilter>
  <NameFilter>(|(cn=*)(sn=*))</NameFilter>
  <MaxHits>50</MaxHits>
</ldap>
<ldap index="5">
  <Title></Title>
  <Server></Server>
  <port>389</port>
  <Base></Base>
  <UseSSL>0</UseSSL>
  <Version>3</Version>
  <CallingLine>-1</CallingLine>
  <BindLine>-1</BindLine>
  <InCallSearch>0</InCallSearch>
```

```
<OutCallSearch>0</OutCallSearch>
<Authenticate>3</Authenticate>
<Username></Username>
<Password></Password>
<TelAttr>telephoneNumber</TelAttr>
<MobileAttr>mobile</MobileAttr>
<OtherAttr>other</OtherAttr>
<NameAttr>cn sn ou</NameAttr>
<SortAttr>cn</SortAttr>
<Displayname>cn</Displayname>
<NumberFilter>(|(telephoneNumber=*)(mobile=*)(other=*))</NumberFilter>
<NameFilter>(|(cn=*)(sn=*))</NameFilter>
<MaxHits>50</MaxHits>
</ldap>
<xmlContact index="1">
  <Name></Name>
  <Addr></Addr>
  <UserName></UserName>
  <PassWd></PassWd>
  <Sipline>-1</Sipline>
  <BindLine>-1</BindLine>
</xmlContact>
<xmlContact index="2">
  <Name></Name>
  <Addr></Addr>
  <UserName></UserName>
  <PassWd></PassWd>
  <Sipline>-1</Sipline>
  <BindLine>-1</BindLine>
</xmlContact>
<xmlContact index="3">
  <Name></Name>
  <Addr></Addr>
  <UserName></UserName>
  <PassWd></PassWd>
  <Sipline>-1</Sipline>
  <BindLine>-1</BindLine>
</xmlContact>
<xmlContact index="4">
  <Name></Name>
  <Addr></Addr>
```

```
<UserName></UserName>
<PassWd></PassWd>
<Sipline>-1</Sipline>
<BindLine>-1</BindLine>
</xmlContact>
<xmlContact index="5">
  <Name></Name>
  <Addr></Addr>
  <UserName></UserName>
  <PassWd></PassWd>
  <Sipline>-1</Sipline>
  <BindLine>-1</BindLine>
</xmlContact>
</phone>
<dm>
  <OnhookTime>120</OnhookTime>
  <EnableHookflash>0</EnableHookflash>
  <KeyLongPressTime>2</KeyLongPressTime>
  <KeyLongLongPressTime>6</KeyLongLongPressTime>
</dm>
<vqm>
  <SessionReport>1</SessionReport>
  <IntervalReport>1</IntervalReport>
  <IntervalPeriod>60</IntervalPeriod>
  <MOS-LQWarning>40</MOS-LQWarning>
  <MOS-LQCritical>25</MOS-LQCritical>
  <DelayWarning>150</DelayWarning>
  <DelayCritical>200</DelayCritical>
  <PhoneReport>1</PhoneReport>
  <WEBReport>1</WEBReport>
</vqm>
<cti>
  <EnabledActiveUri>1</EnabledActiveUri>
  <EnabledActionUrl>1</EnabledActionUrl>
  <ActiveUriIP></ActiveUriIP>
  <StartRebootUrl></StartRebootUrl>
  <BootCompletedUrl></BootCompletedUrl>
  <IPChangeUrl></IPChangeUrl>
  <RegOnUrl></RegOnUrl>
  <RegOffUrl></RegOffUrl>
  <RegFailedUrl></RegFailedUrl>
```

```
<PhoneStateIdleUrl></PhoneStateIdleUrl>
<PhoneStateTalking></PhoneStateTalking>
<PhoneStateRinging></PhoneStateRinging>
<DNDOnUrl></DNDOnUrl>
<DNDOffUrl></DNDOffUrl>
<AlwaysFWDOnUrl></AlwaysFWDOnUrl>
<AlwaysFWDOffUrl></AlwaysFWDOffUrl>
<BusyFWDOnUrl></BusyFWDOnUrl>
<BusyFWDOffUrl></BusyFWDOffUrl>
<NoAnsFWDOnUrl></NoAnsFWDOnUrl>
<NoAnsFWDOffUrl></NoAnsFWDOffUrl>
<MuteOnUrl></MuteOnUrl>
<MuteOffUrl></MuteOffUrl>
<IncomingCallUrl></IncomingCallUrl>
<OutgoingCallUrl></OutgoingCallUrl>
<CallActiveUrl></CallActiveUrl>
<CallStopUrl></CallStopUrl>
<TransferUrl></TransferUrl>
<HoldOnUrl></HoldOnUrl>
<HoldOffUrl></HoldOffUrl>
<HeldOnUrl></HeldOnUrl>
<HeldOffUrl></HeldOffUrl>
<MuteOnCallUrl></MuteOnCallUrl>
<MuteOffCallUrl></MuteOffCallUrl>
<NewMissedcallUrl></NewMissedcallUrl>
<NewMWIUrl></NewMWIUrl>
<NewSMSUrl></NewSMSUrl>
<WebAuthChangedUrl></WebAuthChangedUrl>
<at></at>
</cti>
<ateTest>
  <ATEId>0000000000000000</ATEId>
</ateTest>
<mcast>
  <Priority>0</Priority>
  <EnablePriority>0</EnablePriority>
  <EnablePrioChan>0</EnablePrioChan>
  <EnableEmerChan>0</EnableEmerChan>
  <MulticastTone>1</MulticastTone>
  <addr index="1">
    <Name></Name>
```

```
<Host></Host>
<Port>0</Port>
<Channel>0</Channel>
</addr>
<addr index="2">
  <Name></Name>
  <Host></Host>
  <Port>0</Port>
  <Channel>0</Channel>
</addr>
<addr index="3">
  <Name></Name>
  <Host></Host>
  <Port>0</Port>
  <Channel>0</Channel>
</addr>
<addr index="4">
  <Name></Name>
  <Host></Host>
  <Port>0</Port>
  <Channel>0</Channel>
</addr>
<addr index="5">
  <Name></Name>
  <Host></Host>
  <Port>0</Port>
  <Channel>0</Channel>
</addr>
<addr index="6">
  <Name></Name>
  <Host></Host>
  <Port>0</Port>
  <Channel>0</Channel>
</addr>
<addr index="7">
  <Name></Name>
  <Host></Host>
  <Port>0</Port>
  <Channel>0</Channel>
</addr>
<addr index="8">
```

```
<Name></Name>
<Host></Host>
<Port>0</Port>
<Channel>0</Channel>
</addr>
<addr index="9">
  <Name></Name>
  <Host></Host>
  <Port>0</Port>
  <Channel>0</Channel>
</addr>
<addr index="10">
  <Name></Name>
  <Host></Host>
  <Port>0</Port>
  <Channel>0</Channel>
</addr>
<dynamic>
  <AutoExitExpires>60</AutoExitExpires>
</dynamic>
</mcast>
<dsskey>
  <SelectDsskeyAction>0</SelectDsskeyAction>
  <MemoryKeytoBXfer>3</MemoryKeytoBXfer>
  <FuncKeyPageNum>5</FuncKeyPageNum>
  <SideKeyPageNum>1</SideKeyPageNum>
  <DSSHomePage>0</DSSHomePage>
  <DisplayParkedInfo>0</DisplayParkedInfo>
  <DSSDIALSwitchMode>0</DSSDIALSwitchMode>
  <FirstCallWaitTime>16</FirstCallWaitTime>
  <FirstNumStartTime>360</FirstNumStartTime>
  <FirstNumEndTime>1080</FirstNumEndTime>
  <DSSLongPressAction>1</DSSLongPressAction>
  <AutoBLFList>1</AutoBLFList>
  <Extern1PageBelong>0</Extern1PageBelong>
  <Extern2PageBelong>0</Extern2PageBelong>
  <Extern3PageBelong>0</Extern3PageBelong>
  <Extern4PageBelong>0</Extern4PageBelong>
  <Extern5PageBelong>0</Extern5PageBelong>
  <DSSExtend1MAC></DSSExtend1MAC>
  <DSSExtend1IP></DSSExtend1IP>
```

```
<DSSEExtend2MAC></DSSEExtend2MAC>
<DSSEExtend2IP></DSSEExtend2IP>
<DSSEExtend3MAC></DSSEExtend3MAC>
<DSSEExtend3IP></DSSEExtend3IP>
<DSSEExtend4MAC></DSSEExtend4MAC>
<DSSEExtend4IP></DSSEExtend4IP>
<DSSEExtend5MAC></DSSEExtend5MAC>
<DSSEExtend5IP></DSSEExtend5IP>
<dssSide index="1">
  <Fkey index="1">
    <Type>2</Type>
    <Value>SIP1</Value>
    <Title></Title>
    <ICON>Green</ICON>
  </Fkey>
  <Fkey index="2">
    <Type>2</Type>
    <Value>SIP2</Value>
    <Title></Title>
    <ICON>Green</ICON>
  </Fkey>
  <Fkey index="3">
    <Type>2</Type>
    <Value>SIP3</Value>
    <Title></Title>
    <ICON>Green</ICON>
  </Fkey>
</dssSide>
<internal index="1">
  <Fkey index="1">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
  </Fkey>
  <Fkey index="2">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
  </Fkey>
```

```
<Fkey index="3">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</Fkey>
<Fkey index="4">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</Fkey>
<Fkey index="5">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</Fkey>
<Fkey index="6">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</Fkey>
</internal>
<internal index="2">
  <Fkey index="1">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
  </Fkey>
  <Fkey index="2">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
  </Fkey>
  <Fkey index="3">
    <Type>0</Type>
    <Value></Value>
```

```
<Title></Title>
<ICON>Green</ICON>
</Fkey>
<Fkey index="4">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</Fkey>
<Fkey index="5">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</Fkey>
<Fkey index="6">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</Fkey>
</internal>
<internal index="3">
  <Fkey index="1">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
  </Fkey>
  <Fkey index="2">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
  </Fkey>
  <Fkey index="3">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
  </Fkey>
```

```
<Fkey index="4">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</Fkey>
<Fkey index="5">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</Fkey>
<Fkey index="6">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</Fkey>
</internal>
<internal index="4">
  <Fkey index="1">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
  </Fkey>
  <Fkey index="2">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
  </Fkey>
  <Fkey index="3">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
  </Fkey>
  <Fkey index="4">
    <Type>0</Type>
    <Value></Value>
```

```
        <Title></Title>
        <ICON>Green</ICON>
    </Fkey>
    <Fkey index="5">
        <Type>0</Type>
        <Value></Value>
        <Title></Title>
        <ICON>Green</ICON>
    </Fkey>
    <Fkey index="6">
        <Type>0</Type>
        <Value></Value>
        <Title></Title>
        <ICON>Green</ICON>
    </Fkey>
</internal>
<internal index="5">
    <Fkey index="1">
        <Type>0</Type>
        <Value></Value>
        <Title></Title>
        <ICON>Green</ICON>
    </Fkey>
    <Fkey index="2">
        <Type>0</Type>
        <Value></Value>
        <Title></Title>
        <ICON>Green</ICON>
    </Fkey>
    <Fkey index="3">
        <Type>0</Type>
        <Value></Value>
        <Title></Title>
        <ICON>Green</ICON>
    </Fkey>
    <Fkey index="4">
        <Type>0</Type>
        <Value></Value>
        <Title></Title>
        <ICON>Green</ICON>
    </Fkey>
```

```
<Fkey index="5">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</Fkey>
<Fkey index="6">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</Fkey>
</internal>
<dssSoft index="1">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</dssSoft>
<dssSoft index="2">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</dssSoft>
<dssSoft index="3">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</dssSoft>
<dssSoft index="4">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
  <ICON>Green</ICON>
</dssSoft>
<dssSoft index="5">
  <Type>0</Type>
  <Value></Value>
  <Title></Title>
```

```
        <ICON>Green</ICON>
</dssSoft>
<dssSoft index="6">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
</dssSoft>
<dssSoft index="7">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
</dssSoft>
<dssSoft index="8">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
</dssSoft>
<dssSoft index="9">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
</dssSoft>
<dssSoft index="10">
    <Type>0</Type>
    <Value></Value>
    <Title></Title>
    <ICON>Green</ICON>
</dssSoft>
</dsskey>
<web>
    <WebServerType>0</WebServerType>
    <WebPort>80</WebPort>
    <HttpsWebPort>443</HttpsWebPort>
    <RemoteControl>1</RemoteControl>
    <EnableMMIFilter>0</EnableMMIFilter>
    <WebAuthentication>0</WebAuthentication>
    <EnableTelnet>0</EnableTelnet>
```

```
<TelnetPort>23</TelnetPort>
<TelnetPrompt></TelnetPrompt>
<LogonTimeout>15</LogonTimeout>
<account index="1">
    <Name>admin</Name>
    <Password>admin</Password>
    <Level>10</Level>
</account>
<account index="2">
    <Name>guest</Name>
    <Password>guest</Password>
    <Level>5</Level>
</account>
</web>
<log>
    <Level>INF0</Level>
    <Style>level,tag</Style>
    <OutputDevice>stdout</OutputDevice>
    <FileName>platform.log</FileName>
    <FileSize>512KB</FileSize>
    <SyslogTag>platform</SyslogTag>
    <SyslogServer>0.0.0.0</SyslogServer>
    <SyslogServerPort>514</SyslogServerPort>
</log>
<tr069>
    <TR069Tone>1</TR069Tone>
    <CPESerialNumber>00100400FV02001000000c383e42e93c</CPESerialNumber>
    <ACSServerType>1</ACSServerType>
    <EnableTR069>0</EnableTR069>
    <ACSURL>0.0.0.0</ACSURL>
    <ACSUserName>admin</ACSUserName>
    <ACSPassword></ACSPassword>
    <ACSBackupURL>0.0.0.0</ACSBackupURL>
    <ACSBackupUserName></ACSBackupUserName>
    <ACSBackupPassword></ACSBackupPassword>
    <CPEUserName>dps</CPEUserName>
    <CPEPassword>dps</CPEPassword>
    <PeriodixInterval>3600</PeriodixInterval>
    <TLSVersion>2</TLSVersion>
    <AreaCode>020</AreaCode>
    <STUNEnable>0</STUNEnable>
```

```
<STUNServerAddr></STUNServerAddr>
<STUNServerPort>3478</STUNServerPort>
<STUNLocalPort>30000</STUNLocalPort>
</tr069>
<hotspot>
  <EnableHotspot>0</EnableHotspot>
  <Mode>1</Mode>
  <ListenType>0</ListenType>
  <ListenIP>224.0.2.0</ListenIP>
  <ListenPort>16360</ListenPort>
  <OwnName>SIP Hotspot</OwnName>
  <RingMode>0</RingMode>
  <EnableManageMode>0</EnableManageMode>
  <EnableConfigMode>0</EnableConfigMode>
  <hs index="1">
    <Enable>1</Enable>
    <ExtPrefix></ExtPrefix>
  </hs>
  <hs index="2">
    <Enable>1</Enable>
    <ExtPrefix></ExtPrefix>
  </hs>
  <hs index="3">
    <Enable>1</Enable>
    <ExtPrefix></ExtPrefix>
  </hs>
  <hs index="4">
    <Enable>1</Enable>
    <ExtPrefix></ExtPrefix>
  </hs>
  <hs index="5">
    <Enable>1</Enable>
    <ExtPrefix></ExtPrefix>
  </hs>
  <hs index="6">
    <Enable>1</Enable>
    <ExtPrefix></ExtPrefix>
  </hs>
  <hs index="7">
    <Enable>1</Enable>
    <ExtPrefix></ExtPrefix>
```

```
</hs>
<hs index="8">
  <Enable>1</Enable>
  <ExtPrefix></ExtPrefix>
</hs>
<hs index="9">
  <Enable>1</Enable>
  <ExtPrefix></ExtPrefix>
</hs>
<hs index="10">
  <Enable>1</Enable>
  <ExtPrefix></ExtPrefix>
</hs>
<hs index="11">
  <Enable>1</Enable>
  <ExtPrefix></ExtPrefix>
</hs>
<hs index="12">
  <Enable>1</Enable>
  <ExtPrefix></ExtPrefix>
</hs>
</hotspot>
<vpn>
  <VPNmode>-1</VPNmode>
  <EnableVPN>0</EnableVPN>
  <EnableNat>0</EnableNat>
  <Openvpnmode>0</Openvpnmode>
  <L2TPServerAddress>0.0.0.0</L2TPServerAddress>
  <L2TPUserName></L2TPUserName>
  <L2TPPassword></L2TPPassword>
  <L2TPNegotiatedDNS>1</L2TPNegotiatedDNS>
  <PPTPServerAddress>0.0.0.0</PPTPServerAddress>
  <PPTPUserName></PPTPUserName>
  <PPTPPassword></PPTPPassword>
</vpn>
<mt>
  <ContactUpdateMode>0</ContactUpdateMode>
  <AutoServerDigest>0</AutoServerDigest>
</mt>
<ap>
  <DefaultUsername></DefaultUsername>
```

```
<DefaultPassword></DefaultPassword>
<InputCfgFileName></InputCfgFileName>
<DeviceCfgFileKey></DeviceCfgFileKey>
<CommonCfgFileKey></CommonCfgFileKey>
<DownloadCommonConf>1</DownloadCommonConf>
<SaveProvisionInfo>0</SaveProvisionInfo>
<CheckFailTimes>5</CheckFailTimes>
<FlashServerIP>devel.mirtapbx.com</FlashServerIP>
<FlashFileName>mirtapbx/autoprovision//QxmAHhHmb9e4bASX/$mac.xml</FlashFileName>
<FlashProtocol>5</FlashProtocol>
<FlashMode>1</FlashMode>
<FlashInterval>1</FlashInterval>
<updatePBInterval>720</updatePBInterval>
<APPswdEncryption>0</APPswdEncryption>
<pnp>
  <PNPEnable>1</PNPEnable>
  <PNPIP>224.0.1.75</PNPIP>
  <PNPPort>5060</PNPPort>
  <PNPTransport>0</PNPTransport>
  <PNPInterval>1</PNPInterval>
</pnp>
<opt>
  <DHCP0ption>66</DHCP0ption>
  <DHCPv60ption>0</DHCPv60ption>
  <Dhcp0ption120>0</Dhcp0ption120>
  <SaveDHCP0pion>0</SaveDHCP0pion>
</opt>
</ap>
<fwCheck>
  <EnableAutoUpgrade>0</EnableAutoUpgrade>
  <UpgradeServer1></UpgradeServer1>
  <UpgradeServer2></UpgradeServer2>
  <AutoUpgradeInterval>24</AutoUpgradeInterval>
</fwCheck>
<qos>
  <EnableVLAN>0</EnableVLAN>
  <VLANID>256</VLANID>
  <EnablePVID>1</EnablePVID>
  <PVIDValue>254</PVIDValue>
  <SignallingPriority>0</SignallingPriority>
  <VoicePriority>0</VoicePriority>
```

```
<VideoPriority>0</VideoPriority>
<LANPortPriority>0</LANPortPriority>
<EnablediffServ>0</EnablediffServ>
<SingallingDSCP>46</SingallingDSCP>
<VoiceDSCP>46</VoiceDSCP>
<VideoDSCP>46</VideoDSCP>
<LLDPTransmit>1</LLDPTransmit>
<LLDPRefreshTime>60</LLDPRefreshTime>
<LLDPLearnPolicy>1</LLDPLearnPolicy>
<LLDPSaveLearnData>0</LLDPSaveLearnData>
<CDPEnable>1</CDPEnable>
<CDPRefreshTime>60</CDPRefreshTime>
<DHCPOptionVlan>132</DHCPOptionVlan>
</qos>
<dot1x>
  <XsupMode></XsupMode>
  <XsupUser></XsupUser>
  <XsupPassword></XsupPassword>
  <sslMode>
    <PermissionCTF>0</PermissionCTF>
    <CommonName>0</CommonName>
    <CTFmode>0</CTFmode>
    <DeviceCertMode>0</DeviceCertMode>
  </sslMode>
</dot1x>
<rtsp>
  <RtspClientWorkMode>0</RtspClientWorkMode>
</rtsp>
<pubApp>
  <WatchDogEnabled>1</WatchDogEnabled>
  <EnableInAccess>0</EnableInAccess>
  <EnableOutAccess>0</EnableOutAccess>
</pubApp>
<record>
  <Enabled>1</Enabled>
  <VoiceCodec>G729</VoiceCodec>
  <RecordType>0</RecordType>
  <FileSizeLimit>8</FileSizeLimit>
  <ServerAddr>0.0.0.0</ServerAddr>
  <ServerPort>10000</ServerPort>
</record>
```

```
<UIconfig>
  <BluetoothEnabled>0</BluetoothEnabled>
  <BluetoothAdapterName>Fanvil X4U</BluetoothAdapterName>
  <BluetoothRingMode>1</BluetoothRingMode>
</UIconfig>
<background>
  <TimeoutToScreensaver>7200</TimeoutToScreensaver>
  <UserChangeBackground>0</UserChangeBackground>
  <UserChangeSubBackground></UserChangeSubBackground>
  <EHSHeadsettype>0</EHSHeadsettype>
  <MissedCallPopup>1</MissedCallPopup>
  <MWIPopup>1</MWIPopup>
  <DeviceConnectPopup>1</DeviceConnectPopup>
  <SMSPopup>1</SMSPopup>
  <OtherPopup>1</OtherPopup>
  <EnablePortMirror>0</EnablePortMirror>
  <AutoCloseLed>0</AutoCloseLed>
  <IdleTimeFontColor>0xffffffff</IdleTimeFontColor>
  <CommonTitleFontColor>0xffffffff</CommonTitleFontColor>
  <SoftkeyFontColor>0xffffffff</SoftkeyFontColor>
  <MenuListFontColor>0x262626</MenuListFontColor>
  <ScrollBarColor>0x5a9dba</ScrollBarColor>
  <WarnThemeColor>0xc4012f</WarnThemeColor>
  <InformThemeColor>0x007bb0</InformThemeColor>
  <FunkeyListFontColor>0xffffffff</FunkeyListFontColor>
  <TalkingFontColor>0x262626</TalkingFontColor>
  <SidekeyLabelLength>0</SidekeyLabelLength>
  <AppIconDisplay>1,1,1,1</AppIconDisplay>
  <DisplayProvisionprompt>0</DisplayProvisionprompt>
  <DsskeyPage1Type>0</DsskeyPage1Type>
  <DsskeyPage2Type>0</DsskeyPage2Type>
  <DsskeyPage3Type>0</DsskeyPage3Type>
  <DsskeyPage4Type>0</DsskeyPage4Type>
  <DsskeyPage5Type>0</DsskeyPage5Type>
  <DsskeyPage1XmlUrl></DsskeyPage1XmlUrl>
  <DsskeyPage2XmlUrl></DsskeyPage2XmlUrl>
  <DsskeyPage3XmlUrl></DsskeyPage3XmlUrl>
  <DsskeyPage4XmlUrl></DsskeyPage4XmlUrl>
  <DsskeyPage5XmlUrl></DsskeyPage5XmlUrl>
  <DesktopTimeDisplay>1</DesktopTimeDisplay>
  <PowerSaving>1</PowerSaving>
```

```
<TimeoutToPowerSaving>57600</TimeoutToPowerSaving>
</background>
</sysConf>
```

Revision #1

Created 2026-09-22 09:31:59 UTC by Admin

Updated 2026-09-22 09:31:59 UTC by Admin