

AGI Scripts

- [Overview](#)
- [Create and Edit AGI Scripts](#)

Overview

The **AGI Scripts** page registers AGI script definitions that can be used by routing objects and call-flow actions. Open it from **Configuration > AGI Scripts**.

The page works against the tenant currently selected in the top bar. The screenshots and demo rows were captured in the **Canistracci OIL** tenant.

| Name ▲ | Path | Parameters | Param. 1 | Param. 2 | Param. 3 | Param. 4 | Param. 5 |
|----------------------------|---|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| <input type="checkbox"/> x | <input type="checkbox"/> x | <input type="checkbox"/> x | <input type="checkbox"/> x | <input type="checkbox"/> x | <input type="checkbox"/> x | <input type="checkbox"/> x | <input type="checkbox"/> x |
| Docs Demo AGI 1 | /var/lib/asterisk/agi-bin/docs-demo-1.agi | 0 | | | | | |

AGI Scripts list page in the Canistracci OIL tenant.

Working with objects

| Task | How to do it |
|--------|--|
| Add | Select the New AGI script action, complete the form, and select Save. |
| Edit | Open the AGI script from the list by selecting its name, number, or row action. Change the form and select Save. |
| Delete | Select the row checkbox and use Delete Selected, or open the AGI script and select Delete, then confirm. |

List columns

| Column | Description |
|------------|--|
| Name | Display name used in lists and references. |
| Path | Object setting shown by the form. |
| Parameters | Object setting shown by the form. |
| Param. 1 | Object setting shown by the form. |
| Param. 2 | Object setting shown by the form. |
| Param. 3 | Object setting shown by the form. |
| Param. 4 | Object setting shown by the form. |
| Param. 5 | Object setting shown by the form. |

Demo records

The tenant contains 1 documentation demo record for this page: Docs Demo AGI 1.

Deleting records


Before deleting a AGI script, check references from call flows, destinations, schedules, reports, or provisioning objects. MiRTA PBX asks for confirmation before the delete is submitted.

Create and Edit AGI Scripts

Use this page when creating a new AGI script or editing an existing AGI script from **Configuration > AGI Scripts**.

The form screenshots below are separated by block where the application exposes separate sections. Complete the required values, review routing or destination references, and save the record.

Add and edit form



The screenshot shows a form titled "Information" with the following fields and buttons:

- Name:
- Description:
- Path:
- Number of Parameters:
- Buttons: Save, Delete, Back

AGI Scripts add/edit form.

Saving and deleting

| Task | How to do it |
|--------|--|
| Create | Select the new action from the AGI Scripts list, fill the required fields, and select Save. |
| Edit | Open the existing AGI script, update the needed fields, and select Save. |
| Delete | Before deleting a AGI script, check call-flow, destination, schedule, report, provisioning, or integration references. Use the row delete action or the form delete action when available, then confirm. |