

Alarms Binding


<p></p>

- [Overview](#)

Overview

The **Alarms Binding** page maps alarm caller IDs to tenant notification handling. Open it from **Configuration > Settings > Alarms Binding**.

The page works against the tenant currently selected in the top bar. The screenshots and demo rows were captured in the **Canistracci OIL** tenant.



Alarms Binding list page in the Canistracci OIL tenant.

Working with objects

Task	How to do it
Add	Use the grid add control to create a new alarm binding. Fill the row editor and save it.
Edit	Select an existing alarm binding row and use the grid edit control. Save the edited row.
Delete	Select one or more alarm binding rows and use the grid delete control, then confirm.

List columns

Column	Description
Tenant	Tenant associated with the alarm binding.
Caller ID	Caller ID or caller matching value.
Notification Email	Email address used for notifications, delivery, or mailbox access.
Relay Server	Server, host, or node selection used by the object.

Demo records

The intended documentation demo caller ID for this page is **+15559101**. On the tested PBX server, the Alarms Binding grid returned an application error while creating or verifying this sample, so confirm the record after the grid is available.

Deleting records

Before deleting an alarm binding, check references from call flows, destinations, schedules, reports, or provisioning objects. MiRTA PBX asks for confirmation before the delete is submitted.