

# Custom Parking Lots

- [Overview](#)

# Overview

The **Custom Parking Lots** page defines custom parking ranges, timeouts, default return numbers, and hold music. Open it from **Configuration > Settings > Custom Parking Lots**.

The page works against the tenant currently selected in the top bar. The screenshots and demo rows were captured in the **Canistracci OIL** tenant.

Parking Lot Name <sup>▲</sup>	Start	End	Timeout	Parking lot server	Default return number	Music on hold
<input type="text"/> x	<input type="text"/> x	<input type="text"/> x	<input type="text"/> x	<input type="text"/> x	<input type="text"/> x	<input type="text"/> x
Docs Demo Parking 1	890	899	45		100	

Custom Parking Lots list page in the Canistracci OIL tenant.

## Working with objects

Task	How to do it
Add	Use the grid add control to create a new custom parking lot. Fill the row editor and save it.
Edit	Select an existing custom parking lot row and use the grid edit control. Save the edited row.
Delete	Select one or more custom parking lot rows and use the grid delete control, then confirm.

# List columns

Column	Description
Parking Lot Name	Display name used in lists and references.
Start	Object setting shown by the form.
End	Object setting shown by the form.
Timeout	Timing value used by the service.
Parking lot server	Server, host, or node selection used by the object.
Default return number	Dialed value, identifier, or matching value used by the PBX.
Music on hold	Object setting shown by the form.

## Demo records

The tenant contains 1 documentation demo record for this page: Docs Demo Parking 1.

## Deleting records

Before deleting a custom parking lot, check references from call flows, destinations, schedules, reports, or provisioning objects. MiRTA PBX asks for confirmation before the delete is submitted.