


Phones

- [Overview](#)
- [Create and Edit Phones](#)

Overview

The **Phones** page defines provisioned phones, device models, MAC addresses, line assignments, and provisioning secrets. Open it from **Configuration > Provisioning > Phones**.

The page works against the tenant currently selected in the top bar. The screenshots and demo rows were captured in the **Canistracci OIL** tenant.



Phones list page in the Canistracci OIL tenant.

Working with objects

Task	How to do it
Add	Select the New phone action, complete the form, and select Save.
Edit	Open the phone from the list by selecting its name, number, or row action. Change the form and select Save.
Delete	Select the row checkbox and use Delete Selected, or open the phone and select Delete, then confirm.

Page functions

Action	Description
New Phone	Opens the creation form for a new phone.
Resync config	Sends the selected device operation to the selected phones.
Reboot	Sends the selected device operation to the selected phones.
Delete Selected	Deletes the selected rows after confirmation.

List columns

Column	Description
Name	Display name used in lists and references.
Phone Model	Object setting shown by the form.
Extensions	Target or routing selection used when the object sends a call or message onward.
MAC plain	Object setting shown by the form.
Autoprovisioning URL	Object setting shown by the form.

Demo records

The tenant contains 1 documentation demo record for this page: Docs Demo Phone 1.

Deleting records

Before deleting a phone, check references from call flows, destinations, schedules, reports, or provisioning objects. MiRTA PBX asks for confirmation before the delete is submitted.

Create and Edit Phones

Use this page when creating a new phone or editing an existing phone from **Configuration > Phones**.

The form screenshots below are separated by block where the application exposes separate sections. Complete the required values, review routing or destination references, and save the record.

Add and edit form

Information

Name:

Virtual phone provisioning

Model:

MAC Address:

Secret:

Accept data from phone

Optional file name:

HTTP/S Username:

HTTP/S Password:

Line 1:

Line 2:

Line 3:

Line 4:

Button Layouts:

Phone Back:

Phones add/edit form.

Main fields

Field	Description
Name:	Display name used in lists and references.
Virtual phone provisioning	Object setting shown by the form.
Model:	Object setting shown by the form.
MAC Address:	Object setting shown by the form.
Secret:	Credential or PIN value. Treat it as sensitive.
Accept data from phone	Object setting shown by the form.

Field	Description
Optional file name:	Display name used in lists and references.
HTTP/S Username:	Display name used in lists and references.
HTTP/S Password:	Credential or PIN value. Treat it as sensitive.
Line 0:	Object setting shown by the form.
Line 1:	Object setting shown by the form.
Line 2:	Object setting shown by the form.
Line 3:	Object setting shown by the form.
Line 4:	Object setting shown by the form.
Line 5:	Object setting shown by the form.

Saving and deleting

Task	How to do it
Create	Select the new action from the Phones list, fill the required fields, and select Save.
Edit	Open the existing phone, update the needed fields, and select Save.
Delete	Before deleting a phone, check call-flow, destination, schedule, report, provisioning, or integration references. Use the row delete action or the form delete action when available, then confirm.