

# Edit PJSIP AOR

Use this page to tune the PJSIP Address of Record for a PJSIP extension. These settings control registration contact limits, contact expiration timing, mailbox subscription hints, and Path support. The screenshots use the **Canistracci Oil** demo PJSIP extension **101 Bella Stone**.

## Opening and saving

Action	Description
Open	Open Configuration > Extensions, edit a PJSIP extension, then choose the AOR detail link.
Edit	Update the required fields and select Save. The form returns to the PJSIP extension after saving.
Back	Use Back to return to the PJSIP extension without applying changes.

## Information

**Information**

Default Expiration:

Minimum Expiration:

Maximum Expiration:

Mailboxes:

Max Contacts:

Remove Existing:

Remove Unavailable:

Support Path:

Information section for PJSIP AOR for extension 101.

Use this section for contact expiration limits, mailbox subscriptions, maximum registered contacts, registration contact cleanup, and Path support.

Field or option	Purpose
Default Expiration	Default expiration time in seconds for contacts that are dynamically bound to an AoR
Minimum Expiration	Minimum expiration time in seconds for contacts that are dynamically bound to an AoR
Maximum Expiration	Maximum expiration time in seconds for contacts that are dynamically bound to an AoR
Mailboxes	Allow subscriptions for the specified mailbox(es)
Max Contacts	Maximum number of contacts that can bind to an AoR
Remove Existing	On receiving a new registration to the AoR should it remove enough existing contacts not added or updated by the registration to satisfy Max Contacts? Any removed contacts will expire the soonest.
Remove Unavailable	On receiving a new registration to the AoR should it remove unavailable contacts not added or updated by the registration to satisfy Max Contacts?
Support Path	Enables Path support for REGISTER requests and Route support for other requests.

Updated 2026-06-02 14:53:29 UTC by Admin