


# Overview

The **Hunt Lists** page routes a call across multiple destinations using ring-all, sequence, cycle, or loop behavior. Open it from **Configuration > Hunt Lists**.

The page works against the tenant currently selected in the top bar. The screenshots and demo rows were captured in the **Canistracci OIL** tenant.



Hunt Lists list page in the Canistracci OIL tenant.

## Working with objects

Task	How to do it
Add	Select the New hunt list action, complete the form, and select Save.
Edit	Open the hunt list from the list by selecting its name, number, or row action. Change the form and select Save.
Delete	Select the row checkbox and use Delete Selected, or open the hunt list and select Delete, then confirm.

## Page functions

Action	Description
New Hunt List	Opens the creation form for a new hunt list.
Delete Selected	Deletes the selected rows after confirmation.

## List columns

Column	Description
Name	Display name used in lists and references.
Number	Dialed value, identifier, or matching value used by the PBX.
Type	Mode selector that changes the behavior of the object.
Peer List	Object setting shown by the form.
Action	Object setting shown by the form.

# Demo records

The tenant contains 2 documentation demo records for this page: Docs Demo Hunt 1 and Docs Demo Hunt 2.

# Deleting records

Before deleting a hunt list, check references from call flows, destinations, schedules, reports, or provisioning objects. MiRTA PBX asks for confirmation before the delete is submitted.

---

Revision #8

Created 2026-06-02 12:14:58 UTC by Admin

Updated 2026-06-02 16:21:15 UTC by Admin